

DIVISION 10 - SECTION 10125 BULLETIN BOARD CABINETS
AND
SECTION 10410 - DIRECTORY CABINETS

PART 1 - GENERAL

1.01 DESCRIPTION OF WORK

- A. This section includes wood framed bulletin board cabinets and directory cabinets of the following type:
 - 1. Claridge Cork Bulletin Board Cabinets with wood frames
 - a. Designer Fabric, Fabriccork, Hook-Fab and Tan Nucork Bulletin Board Cabinets optional
 - 2. Grooved Felt Directory Board Cabinets with wood frames
 - a. Vinyl Directory Board Cabinets optional
 - 3. Accessories

1.02 REFERENCED STANDARDS

- A. ASTM-E 84
- B. ASTM B221

1.03 SUBMITTALS

- A. Shop Drawings: Provide shop drawings for each type of bulletin or directory cabinet required.
- B. Product Data: Provide technical data for materials specified. Include Material Safety Data Sheets, when applicable.
- C. Samples:
 - 1. Manufacturer's color charts
 - 2. Composition samples of material and trim to illustrate finish, color and texture.

1.04 OPERATION & MAINTENANCE

- A. Include data on regular cleaning, stain removal, and precautions.

1.05 REGULATORY REQUIREMENTS

- A. Conform to applicable code for flame/smoke rating in tackboards in accordance with ASTM-E 84.

1.06 QUALITY ASSURANCE

- A. Provide all items in this section as provided by:
 - WIUSA.com
 - PO Box 567949
 - Dallas, TX 75356
 - Phone: 800-527-9014; Fax: 214-631-4654
 - www.wiusa.com
 - sales@wiusa.com

1.07 FIELD CONDITIONS

- A. Field measure prior to preparation of shop drawings and fabrication to insure proper fit.

1.08 WARRANTY

- A. Submit a standard warranty, stating when installed in accordance with manufacturer's instructions and recommendations, Claridge bulletin and directory board cabinets are guaranteed for one year against defects in materials and workmanship. Guarantee does not cover normal wear and tear, improper handling, any misuse, or any defects caused by vandalism or subsequent abuse. Guarantee covers replacement of defective material but does not include cost of removal or reinstallation.

PART 2 - PRODUCTS

**DIVISION 10 - SECTION 10125 BULLETIN BOARD CABINETS
AND
SECTION 10410 - DIRECTORY CABINETS**

2.01 MANUFACTURERS

- A. Bulletin and Directory Board Cabinets with wood frames as manufactured by: Claridge Products and Equipment, Inc., as provided by WIUSA.com, PO Box 567949, Dallas, TX 75356, 800-527-9014, FAX: 214-631-4654, www.wiusa.com, sales@wiusa.com.
 - 1. 310 Bulletin Board Cabinets with sliding doors and wood frame
 - a. Architect to select from Claridge cork, Designer Fabric, Fabricork, Hook-Fab or Tan Nucork tackboard back panel. Architect to specify color from manufacturer's standard bulletin board colors.
 - b. Architect to specify Oak with Natural, Medium or Dark finish for frame. (Walnut, Mahogany, Maple and Cherry are optional.)
 - c. Standard Sizes: 36" x 48"; 36" x 60"; 36" x 72"; 48" x 60"; and 48" x 72"
 - d. Outside depth 3-1/4"; inside 1-1/4"
 - e. Doors: Two sliding glass doors with heavy-duty lock
 - f. Sliding glass door shoe, channel and track are extruded aluminum with bronze finish
 - 2. 345 Directory Cabinets with hinged doors and wood frame
 - a. Architect to select from grooved felt in black, gray, red or green, or grooved vinyl in brown, blue or black for directory back panel.
 - b. Architect to specify Oak with Natural, Medium or Dark finish for frame. (Walnut, Mahogany, Maple and Cherry are optional.)
 - c. Standard Sizes: 36" x 48"; 36" x 60"; 36" x 72"; 48" x 60"; and 48" x 72"
 - d. Outside depth 3-1/4"; inside 1-1/4"
 - e. Doors: Two sliding glass doors with heavy-duty lock
 - f. Sliding glass door shoe, channel and track are extruded aluminum with bronze finish
- B. Glass Doors: Glass doors are 3/16" tempered, unless otherwise specified.
 - B. Sliding door cabinets have ground-in finger pulls, doors slide on glides, and are fitted with flat key tumbler lock.
- C. Metal Trim and Accessories: Provide aluminum extrusions as manufactured by Claridge Products and Equipment, Inc. Trim shall be heavy gauge extruded aluminum and shall meet or exceed ASTM B221 Alloy Standards. Sliding glass door shoe, channel and track are extruded aluminum with bronze finish.
- D. Colors: As selected from manufacturer's standard colors. Color charts furnished on request.
- E. Hanging devices: Z-bar hangers are furnished for 307/352; 308/354; and for 310/345 cabinets.
- F. Options: Fluorescent lights - on 310 and 345; Radius Corners on 307, 308, 352 and 354; Special sizes; Special match finishes.
- G. Accessories: Roman style plastic directory letters and/or numbers in sizes from 3/8" to 3" optional.

2.03 FABRICATION

- A. Shop assembly: Provide factory assembled cabinets to requirements indicated on shop drawings.
- B. Cabinets shall be of dimensions shown in details and in accordance with manufacturer's shop drawings, as approved by architect.

PART 3 - EXECUTION

3.01 PROJECT CONDITIONS

- A. Verify before installation that interior moisture and temperature approximate normal occupied conditions.

**DIVISION 10 - SECTION 10125 BULLETIN BOARD CABINETS
AND
SECTION 10410 - DIRECTORY CABINETS**

- B. Verify that wall surfaces are prepared and ready to receive cabinets.

3.02 INSTALLATION

- A. Deliver factory built units completely assembled in one piece without joints, wherever possible.
- B. Follow manufacturer's instructions for storage and handling of units before installation.
- C. Install level and plumb, with fasteners furnished, in accordance with manufacturer's recommendations.

3.03 ADJUST AND CLEAN

- A. Verify that all accessories are installed as required for each unit.
- B. At completion of work, clean glass surfaces, tackboard panels or directory panels and trim in accordance with manufacturer's recommendations, leaving all materials ready for use.